

XI'AN FUNCTION MATERIAL GROUP CO., LTD Safety Data Sheet Cobalt Iron Silicon

1. Product and Company Identification

Trade Name: Cobalt iron silicon

Chemical Formula: CoFeSi

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word:

Danger







Hazard Statements:

H317: May cause an allergic skin reaction

H228: Flammable solid

H334: May cause allergy or asthma symptoms or breathing difficulties

if inhaled

Precautionary Statements:

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P210: Keep away from heat/sparks/open flames/hot surfaces - No

smoking

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/lighting/equipment

P284: Wear respiratory protection

0

P342+P311: If experiencing respiratory symptoms: Call a POISON

CENTER or doctor/physician

P370+P378: In case of fire: Use CO₂, powder, sand for extinction

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4): Powder Bulk Health: 1 1 1 Flammability: 3 0

Physical: 1

| 3. Composition | |
|----------------------------------|---|
| Chemical Family: | Alloy |
| Additional Names: | None |
| Cobalt (Co): | |
| Percentage: | 0-100 wt% |
| CAS #: | 7440-48-4 |
| EC #: | 231-158-0 |
| Manganese (Mn): | |
| Percentage: | 0-100 wt% |
| CAS #: | 7439-96-5 |
| EC #: | 231-105-1 |
| Silicon (Si): | |
| Percentage: | 0-100 wt% |
| CAS #: | 7440-21-3 |
| EC #: | 231-130-8 |
| | 4. First Aid Procedures |
| General Treatment: | Seek medical attention if symptoms persist. |
| Special Treatment: | None |
| Important Symptoms: | None |
| Inhalation: | Remove victim to fresh air. Supply oxygen if breathing is difficult. |
| Ingestion: | Give one to two glasses of water and induce vomiting. Never induce |
| | vomiting or give anything by mouth to an unconscious person. |
| Skin: | Wash affected area with mild soap and water. Remove any |
| | contaminated clothing. |
| Eyes: | Flush eyes with water, blinking often for several minutes. Remove |
| | contact lenses if present and easy to do. Continue rinsing |
| | |
| | 5. Firefighting Measures |
| Flammability: | Non-flammable, except as powder |
| | |
| Extinguishing Media: | Do not use water for metal fires – use CO ₂ , sand, extinguishing powder |
| Spec. Fire Fighting Procedure: | Use full-face, self-contained breathing apparatus with full protective |
| r | clothing to prevent contact with skin and eyes. See section 10 for |
| | decomposition products. |
| | 6. Accidental Release Measures |
| If Material Is Released/Spilled: | Wear appropriate respiratory and protective equipment specified in |
| | special protection information. Isolate spill area and provide |
| | ventilation. Vacuum up spill using a high efficiency particulate |
| | absolute (HEPA) air filter and place in a closed container for disposal. |
| | Take care not to raise dust. |
| Environmental Precautions: | Isolate runoff to prevent environmental pollution. |
| | |

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.1 mg/m³ as Co, long-term value

Threshold Limit Value: 0.02 mg/m³ as Co, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Grey

Form: Sputtering target

6

Odorless Odor: Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: N/A Flash Point: N/A N/A Autoignition Temperature: Density: N/A Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions
Reacts With: Halogens, Interhalogens, Acids, Oxidizing agents

Incompatible Conditions: None

Hazardous Decomposition Products: Metal oxide fume, Iron oxides, Silicon oxide

11. Toxicological Information

Potential Health Effects:

Eyes: Causes serious eye damage

Skin: May cause irritation
Ingestion: May cause irritation
Inhalation: May cause irritation

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: 3160 mg/kg for rat by mouth

Carcinogen: IARC-2B: Possibly carcinogenic to humans: limited evidence in human

in the absence of sufficient evidence in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon

or unlikely routes or level of exposure.

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.

FLAMMABLE SOLID

Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized

explosives

Packing Group: III UN Number: UN3089

Proper Shipping Name: Metal powders, flammable, n.o.s. (Cobalt iron silicon)

15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: Components

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/09/2019

