

### XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Iron chloride

## 1. Product and Company Identification

Trade Name: Iron chloride

Chemical Formula: FeCl<sub>3</sub>

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN State: Shannxi Zip Code: 710077 Country: China

Tel#: +86-29-88993870/+86-13519132051

### 2. Hazards Identification

Signal Word: Danger





**Hazard Statements:** H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

**Precautionary Statements:** P280 Wear protective gloves/clothing/eye protection

P305+P351 If in eyes: Rinse cautiously with water for several minutes. P309+P310 If exposed or if you feel unwell, immediately call a poison

center or doctor

HMIS Health Ratings (0-4):

Health: 3 Flammability: 0 Physical:

## 3. Composition

Chemical Family: Salt

Additional Names: Ferric chloride, Iron trichloride, Iron(III) chloride, Molysite, Flores

martis

Iron chloride (FeCl<sub>3</sub>):

Percentage: 100 wt% CAS #: 7705-08-0 EC #: 231-729-4

4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	compressed air.  Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: N/A

Threshold Limit Value: 1 mg/m<sup>3</sup> as Fe, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material: 480 minutes

Eye Protection: Full face protection, Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Green to black

Purple to Red by transmitted light

Yellow if hydrated Brown in solution

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless

Water Solubility: High, 480 g/L at 20 °C pH 1.8 at 6 g/L, 20 °C

Boiling Point:

Melting Point:

Slash Point:

Autoignition Temperature:

Molecular weight:

10. Reactivity

Stability: Stable under recommended storage conditions
Reacts With: Water/moisture, Bases, Oxidizing agents, Metals

Incompatible Conditions: Moisture

Hazardous Decomposition Products: Hydrogen chloride (HCl), Iron oxides, Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: May cause serious damage Skin: May cause severe burns

Ingestion: Harmful; Strong corrosive effect on mouth and throat, danger of

perforation of esophagus and stomach.

Inhalation: May cause severe burns

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: 316 mg/kg for rat by mouth

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: Medium
Persistent Bioaccumulation Toxicity: No
Very Persistent, Very Bioaccumulative: No

Notes: Do not allow undiluted product to reach ground water, or sewage

#### 13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

## 14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 8 Corrosive substances

Packing Group: III UN Number: UN1773

Proper Shipping Name: Ferric chloride, anhydrous

Segregation group: Acids

# 15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A Sec 313 Toxic Chemicals: No

#### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 04/11/2018