

## XI'AN FUNCTION MATERIAL GROUP CO., LTD

### Material Safety Data Sheet Hafnium

1. Product and Company Identification

Trade Name: Hafnium Chemical Formula: Hf

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H251: Self-heating; may catch fire (as powder)

Precautionary Statements: P280: Wear protective gloves/protective clothing/eye protection/face

protection

P235+P410: Keep cool. Protect from sunlight P420: Store away from other materials

P407: Maintain air gap between stacks/pallets

HMIS Health Ratings (0-4): Powder Bulk

 Health:
 1
 0

 Flammability:
 4
 0

 Physical:
 2
 0

3. Composition	
Additional Names:	None
Hafnium (Hf):	
Percentage:	0-100 wt%
CAS #: EC #:	7440-58-6
EC #:	231-166-4
Note:	Hafnium is naturally found with traces of Zirconium as the separation of the two is difficult.
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek medical attention.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable, except as powder
Extinguishing Media:	Do not use water for metal fires – use CO <sub>2</sub> , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.
Environmental Precautions:	Take care not to raise dust.  Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry
Work/Hygienic Maintenance:	inert gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	compressed air.  Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.5 mg/m³ as Hf, long-term value Threshold Limit Value: 0.5 mg/m³ as Hf, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material: 480 minutes

Eye Protection: Safety glasses or goggles, Full face protection

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Silver/grey

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: **Odorless** Water Solubility: Insoluble **Boiling Point:** 2222 °C **Melting Point:** 5400 °C Flash Point: N/A Autoignition Temperature: N/A Density: 13.09 g/cc Molecular weight: 178.49 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Oxidizing agents

Incompatible Conditions: Air

Hazardous Decomposition Products: Hafnium oxide

11. Toxicological Information

Potential Health Effects:

Eyes:May cause irritationSkin:May cause irritationIngestion:May cause irritationInhalation:May cause irritation

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A

#### 13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

### 14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 4.2 Substances liable to spontaneous combustion

Packing Group:

UN Number: UN2545

Proper Shipping Name: Hafnium powder, dry

# 15. Regulatory Information

Sec 302 Extremely Hazardous:

Sec 304 Reportable Quantities:

N/A

Sec 313 Toxic Chemicals:

No

#### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 06/26/2018